

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2021


Version number 1.0

Revision: 13.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: C-FJ-CP3-K 10L E UNC**
- **Article number:** 16715865
- **Registration number**
Registration numbers of the individual components: see section 3.2, if applicable.
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation:** RCP Solution
- **Uses advised against**
Only for professional use.
Do not use for private purposes (household).
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
FUJIFILM EUROPE BV
Oudenstraat 1
5047 TK Tilburg
NEDERLAND
Tel: +31 13 579 19 11
Fax: +31 13 570 11 15
- **Further information obtainable from:** reach_feg@fujifilm.com
- **1.4 Emergency telephone number:** +49 (0)211 5089 137 (9:00 a.m. to 6 p.m.)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**

GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**
phosphoric acid
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Cont. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version number 1.0

Revision: 13.10.2020

Trade name: C-FJ-CP3-K 10L E UNC

(Cont. from page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

• Dangerous components:

CAS: 141-82-2 EINECS: 205-503-0 Reg.nr.: 01-2120764469-39-XXXX	malonic acid ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	≥10-≤15%
CAS: 6915-15-7 EINECS: 230-022-8 Reg.nr.: 01-2119906954-31-XXXX	DL-malic acid ⚠ Eye Irrit. 2, H319	≥5-<10%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol ⚠ Eye Irrit. 2, H319	≥5-<10%
CAS: 7664-38-2 EINECS: 231-633-2 Reg.nr.: 01-2119485924-24-XXXX	phosphoric acid ⚠ Skin Corr. 1B, H314	3-7%
CAS: 95-14-7 EINECS: 202-394-1	benzotriazole ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	0.5-1.5%
CAS: 67-56-1 EINECS: 200-659-6	methanol ⚠ Flam. Liq. 2, H225; ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ STOT SE 1, H370	0.1-1%

- **SVHC** Does not contain a SVHC according to REACH, Article 57 >0,1%
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.

(Cont. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version number 1.0

Revision: 13.10.2020

Trade name: C-FJ-CP3-K 10L E UNC

(Cont. from page 2)

- **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Remove persons from danger area.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.

(Cont. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version number 1.0

Revision: 13.10.2020

Trade name: C-FJ-CP3-K 10L E UNC

(Cont. from page 3)

- **Further information about storage conditions:** Protect from frost.
- **Storage class:** 8 A
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:	
7664-38-2 phosphoric acid	
WEL	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
67-56-1 methanol	
WEL	Short-term value: 333 mg/m ³ , 250 ppm Long-term value: 266 mg/m ³ , 200 ppm Sk

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Do not eat, drink, smoke or sniff while working.
Storing food in the working area is prohibited.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

- **Material of gloves**

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness ≥ 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness ≥ 0.38 mm, breakthrough time > 480 min) or neoprene (thickness ≥ 0.65 mm, breakthrough time > 240 min).

- **Eye protection:**



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

(Cont. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version number 1.0

Revision: 13.10.2020

Trade name: C-FJ-CP3-K 10L E UNC

· **Body protection:** Protective work clothing

(Cont. from page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Colour: Clear

· Odour: Light

· Odour threshold: Not determined.

· pH-value at 20 °C: 1.1

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Undetermined.

· Flash point: 172 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Not determined.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapour pressure: Not determined.

· Density: Not determined.

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with water:

Fully miscible.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

· Solvent content:

VOC (EC) 0.36 %

· 9.2 Other information: No further relevant information available.

GB

(Cont. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version number 1.0

Revision: 13.10.2020

Trade name: C-FJ-CP3-K 10L E UNC

(Cont. from page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No dangerous reactions known.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong alkali.
- **10.4 Conditions to avoid** See "Fire Fighting measures".
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

141-82-2 malonic acid

Oral	LD50	1,310 mg/kg (rat)
------	------	-------------------

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD50	5,660 mg/kg (rat)
Dermal	LD50	4,000 mg/kg (rabbit)

67-56-1 methanol

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	83.2 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Cont. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version number 1.0

Revision: 13.10.2020

Trade name: C-FJ-CP3-K 10L E UNC

(Cont. from page 6)

- **Additional ecological information:**

- **General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

- **European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 03 00	wastes from MFSU of printing inks
08 03 16*	waste etching solutions

- **Uncleaned packaging:**

- **Recommendation:**

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR, IMDG, IATA**

UN1805

- **14.2 UN proper shipping name**

- **ADR**

- **IMDG, IATA**

1805 PHOSPHORIC ACID, SOLUTION
PHOSPHORIC ACID, SOLUTION

(Cont. on page 8)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version number 1.0

Revision: 13.10.2020

Trade name: C-FJ-CP3-K 10L E UNC

(Cont. from page 7)

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA



· Class 8 Corrosive substances.
· Label 8

· 14.4 Packing group

· ADR, IMDG, IATA III

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user

Warning: Corrosive substances.
· Hazard identification number (Kemler code): 80
· EMS Number: F-A,S-B
· Segregation groups Acids
· Stowage Category A
· Segregation Code SG36 Stow "separated from" SGG18-alkalis.
SG49 Stow "separated from" SGG6-cyanides

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 5L
· Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
· Transport category 3
· Tunnel restriction code E

· IMDG

· Limited quantities (LQ) 5L
· Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

GB

(Cont. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version number 1.0

Revision: 13.10.2020

Trade name: C-FJ-CP3-K 10L E UNC

(Cont. from page 8)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 55, 69
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
 - None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H225 Highly flammable liquid and vapour.
 - H301 Toxic if swallowed.
 - H302 Harmful if swallowed.
 - H311 Toxic in contact with skin.
 - H314 Causes severe skin burns and eye damage.
 - H319 Causes serious eye irritation.
 - H331 Toxic if inhaled.
 - H370 Causes damage to organs.
 - H411 Toxic to aquatic life with long lasting effects.
- **Creation Date** 13.10.2020
- **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - SVHC: Substances of Very High Concern
 - vPvB: very Persistent and very Bioaccumulative
 - Flam. Liq. 2: Flammable liquids – Category 2
 - Acute Tox. 3: Acute toxicity - oral – Category 3
 - Acute Tox. 4: Acute toxicity - oral – Category 4
 - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 - STOT SE 1: Specific target organ toxicity (single exposure) – Category 1
 - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- *** Data modified compared to previous version.**